



redhat.

Red Hat Storage Software Defined Storage for the Enterprise

Customer Convergence Boston

Patrick Ladd
Technical Account Manager, FSI
June 7th 2018

pladd@redhat.com

<https://people.redhat.com/pladd>

Agenda

- Software Defined Storage
 - What is it?
 - Why?
- Red Hat Gluster Storage (RHGS)
 - Concepts
 - Architecture
 - Features
- Applications
 - General Applications
 - Container Native Storage
 - Red Hat Storage One
 - Sample Customers

Software Defined Storage

The Data Explosion



WEB, MOBILE, SOCIAL MEDIA, CLOUD

Our digital assets have grown exponentially due to web scale services like Facebook, Flickr, Snapchat, YouTube, and Netflix.



MEDIA AND ENTERTAINMENT INDUSTRIES

A staggering amount of content is created during today's optimized production processes.



VIDEO ON-DEMAND SERVICES


Rapid growth of video on-demand has culminated in 50% of households using this service.



MEDICAL INDUSTRY

Medical imaging needs are vast, and regulatory requirements can be demanding.


The Data Storage Shortfall



Data stores are growing exponentially, while IT budgets are not




HDDs are becoming more dense, but \$/GB decline is slowing



Software and hardware advances are needed to close the gap

The Datacenter is Changing



What is Software Defined Storage?



SERVER-BASED



CENTRALIZED CONTROL



OPEN ECOSYSTEM

Industry Standard Hardware



Standardization makes storage more convenient

Customers can build clusters using standard hardware from existing vendors that's perfect for their workload.



- Clusters can be performance-optimized, capacity-optimized, or throughput-optimized
- Need capacity? Add more disks. Too slow? Add more servers.
- Clusters can become larger or smaller with no downtime



Virtualized Storage Scales Better



Comparing Throughput and Costs at Scale




The Robustness of Software


Software can do things hardware can't

Storage services based on software are more flexible than hardware-based implementations

- Can be deployed on bare metal, inside containers, inside VMs, or in the public cloud
- Can deploy on a single server, or thousands, and can be upgraded and reconfigured on the fly
- Grows and shrinks programmatically to meet changing demands




Different Kinds of Storage




BLOCK STORAGE

Data as sequential uniform blocks



FILE STORAGE

Data as buckets of hierarchical folders and files



OBJECT STORAGE

Data as a predictably mapped, loosely structured cluster of objects

How Storage Fits

RED HAT® STORAGE

PHYSICAL

RED HAT®
CEPH STORAGE
RED HAT®
GLUSTER STORAGE

RED HAT®
ENTERPRISE LINUX®

VIRTUAL

RED HAT®
CEPH STORAGE
RED HAT®
GLUSTER STORAGE

RED HAT®
ENTERPRISE LINUX®

RED HAT®
ENTERPRISE
VIRTUALIZATION

PRIVATE CLOUD

RED HAT®
CEPH STORAGE
RED HAT®
GLUSTER STORAGE

RED HAT®
OPENSTACK®
PLATFORM

CONTAINERS

RED HAT®
CEPH STORAGE
RED HAT®
GLUSTER STORAGE

 **OPENSIFT**
ENTERPRISE
by Red Hat


PUBLIC CLOUD

RED HAT®
CEPH STORAGE
RED HAT®
GLUSTER STORAGE

RED HAT®
ENTERPRISE LINUX®

Workloads



Red Hat Gluster Storage

Red Hat Gluster Storage

Half the price for comparable features & greater flexibility

RED HAT® GLUSTER STORAGE

KEY STRENGTHS

- Straightforward, adaptable, embeddable architecture
- Competitive TCO
- Experience of large-scale production customers
- Thriving community

Open source, distributed, scalable, software-defined storage with enterprise-grade capabilities

Security

In-flight encryption
At-rest encryption
SELinux enforcing

Data Services

NFS/SMB access
Snapshots
Clones
Quotas
Mirroring
Tiering

Data Integrity


Erasur coding
Replication
Geo-replication
Self-healing
Bit-rot detection

Architecture & Terms


What is a system?

Can be physical, virtual or cloud


PHYSICAL



VIRTUAL




CLOUD



Volumes - Nodes - Bricks



Bricks taken from multiple hosts become one addressable unit

- High availability as needed
- Load balanced data
- Managed by Gluster



How Does Gluster Do It?

The Data Placement Challenge



The Data Placement Challenge

Imagine a storage pool of thousands of data volumes

- How can we store data reproducibly?
- What happens if we add disks?
- What happens if a disk fails?
- How can we ensure data is written evenly across all volumes?

Elastic Hashing Algorithm


No metadata servers = No single point of failure

Elastic Hashing

- Enables petabyte scale
- Files assigned to virtual volumes
- Virtual volumes assigned to multiple bricks
- Volumes easily reassigned on-the-fly

Location Hashed on Filename

- No performance bottleneck
- Eliminates risk scenarios



Simple Approach – Round Robin

How to store 100 objects on 5 disks

Volume 1	1	6	
Volume 2	2	7	
Volume 3	3	
Volume 4	4		
Volume 5	5	100

Round Robin works efficiently, but has a crucial bottleneck,
central metadata

Hash-based Data Placement

Identifying Key (i.e., file name)



Calculated Hash:
6c7b0f12



Hash Ranges

00000000 -
33333333

33333334 -
66666666

66666667 -
99999999

9999999a -
cccccccc

cccccccd -
ffffffff

Data Volumes



Hash-based Data Placement

- Clients and daemons both use the hash algorithm to compute the object location (reading and writing)
- There is no centralized lookup table
- Enables massive scaling by cleanly distributing the work to all the clients and daemons
- Replication logic ensures data resilience

How Do We Maintain the Hash Tables?

Hash Ranges

00000000 -
33333333

33333334 -
66666666

66666667 -
99999999

9999999a -
cccccccc

cccccccd -
ffffffff

Data Volumes



Hash Ranges

00000000 -
55555555

55555556 -
aaaaaaaa

aaaaaaab -
ffffffff

Data Volumes



Modulo Division

Let's calculate where we store objects

- Dividing our hash by 5 data volumes will always yield a remainder between 0 and 4 (range equal to number of data volumes)
- Pseudo-random hash values will result in statistically even distribution of remainders
- Calculating hashes and modules are lightweight computational tasks

Some examples (decimal numbers for simplicity):

Object #36:

$$36 \bmod 5 = 1$$

so we put object #36 on data volume #1

Object #7:

$$7 \bmod 5 = 2$$

so we put object #7 on data volume #2

Object #133:

$$133 \bmod 5 = 3$$

so we put object #133 on data volume #3

Distributing Data by Modulo

The actual distribution

Object ID	1	2	3	4	5	6	7	8	9	10	11	12	13
modulo(5)	1	2	3	4	0	1	2	3	4	0	1	2	3

So it seems we've found a solution to evenly distribute data and to easily retrieve it, BUT...

Distributing Data by Modulo

What happens if we add a disk?

With 5 data volumes we get this distribution:

Object ID	1	2	3	4	5	6	7	8	9	10	11	12	13
modulo(5)	1	2	3	4	0	1	2	3	4	0	1	2	3

With 6 data volumes we get this distribution:


Object ID	1	2	3	4	5	6	7	8	9	10	11	12	13
modulo(6)	1	2	3	4	5	0	1	2	3	4	5	0	1

Every object with an ID > 4 needs to be relocated!

Layered Features

Virtual Data Volumes

Assigning data to virtual volumes allows us to scale data volumes independently of data placement




- Virtual volumes are an abstract concept. They work as a layer between objects and data volumes.
- Since they are, unlike data volumes, constant in their number, we can rely on them as the divider for the modulo() operation.
- Allows flexibility to handle replication or other data protection

"Server-Side" Data Placement & Maintenance

Translation layers handle:

- Data resilience scheme is maintained (replication, erasure coding)
- Metadata is stored and tracked with the object
- Dynamic mapping from virtual volumes to data volumes
- Heal, Rebalance, Bitrot Detection, Geo-Replication, ...
- Data translation hierarchy (protocols, encryption, performance, ...)
- Health monitoring, alerting, and response




Self Healing

Automatic Repair

- Automatic Repair of Files
 - As they are accessed
 - Periodic via Daemon

Scenarios:


- Node offline
 - Bricks on node need to be caught up to current
- Node or brick loss
 - New brick needs to be completely rebuilt



Bit Rot Detection

Detecting silent data corruption

- Scans data periodically for bit rot
- Check sums are computed when files are accessed and compared against previously stored values
- On mismatch, an error is logged for the storage admin




Snapshots


Storing point in time state of the cluster

- Volume level, ability to create, list, restore, and delete
- LVM2 based, operates only on thin-provisioned volumes
- User serviceable snapshots
- Crash consistent image

BEFORE SNAPSHOT





AFTER SNAPSHOT



Geo Replication


Multi-site content distribution

- Asynchronous across LAN, WAN, or Internet
- Performance considerations:
 - Parallel transfers
 - Efficient source scanning
 - Pipelined and batched
 - File type/layout agnostic
- Continuous and incremental
- Failover and Fallback
- Configurations:
 - One-to-one or one-to-many
 - Cascading



Tiering

- Automated promotion and demotion of data between “hot” and “cold” sub volumes
- Based on frequency of access
- Cost-effective flash acceleration



Quotas

Volume and Directory Level Support


- Control disk utilization at both directory and volume level

Quota Limits

- Two levels of quota limits: Soft (default) and hard
- Warning messages issued on reaching soft quota limit
- Write failures with EDQUAT message after hard limit is reached

Global vs. Local Limits


- Quota is global (per volume)
- Files are psuedo-randomly distributed across bricks



Erasure Coding

Storing data with less hardware

- Reconstruct corrupted or lost data
- Eliminates the need for RAID
- Consumes far less space than replication
- Appropriate for capacity-optimized use cases




Security

Scalable NFSvs Client



- Client access with simplified failover and failback in the case of a node or network failure
- ACLs for additional security
- Kerberos authentication
- Dynamic export management

Network Encryption

- TLS/SSL for authentication and authorization
- Encryption in transit and transparent encryption (at rest)
- I/O encryption and management encryption



Multi Protocol Support




Applications

A SIX-NODE CLUSTER CAN PROCESS...




JPEG Web
Image Files
(32KB)



OR...




DVD
Movie Files
(4GB)



OR...




High-Def
CCTV Camera
Recording Streams



Red Hat Storage One

Pre-configured Storage Hardware and Software

TRADITIONAL DIY SOFTWARE-DEFINED STORAGE DEPLOYMENT




OR...

RED HAT STORAGE ONE BY SUPERMICRO

- Workload-optimized, tested, self-configuring, and ready in minutes
- Hundreds of terabytes to petabytes of useable resilient Red Hat Gluster Storage
- Hardware, software, and support in a single Supermicro part number




General-purpose NAS



Content repositories

CONTAINER-NATIVE STORAGE



Lower TCO


Unified Orchestration

Ease of Use

Greater control

WHY PERSISTENT STORAGE FOR CONTAINERS?

“For which workloads or application use cases have you used/do you anticipate to use containers?”



Use Cases

**IOPS
OPTIMIZED**

Use Case: MySQL

**THROUGHPUT
OPTIMIZED**

Use Case: Rich Media

**COST/ CAPACITY
OPTIMIZED**

Use Case: Active Archives



SanDisk®



SAMSUNG



**General SDS Hardware
Performance & Sizing**

**Container Storage
Center of Excellence**

Joint Innovation With Partners

Performance and Sizing Guides

<http://red.ht/2mg9kQ5>



GAIN A COMPETITIVE ADVANTAGE WITH FINANCIAL ANALYTICS
Accelerate insights and cost-effective big data storage with Red Hat and Penguin Computing

INTRODUCTION
A significant portion of financial data analytics is performed by storing through large volumes of big data. However, enterprises struggle to store as much data as they would like for the cost and capacity constraints of their underlying storage systems. Penguin Computing and Red Hat Storage have built a solution for this and enables superior financial transaction infrastructure. Make more money for clients from their data.

THE PROBLEM
Financial institutions, traders, and investment clients track a number of asset class transactions every day. These may include securities, equities, futures, interest rates, foreign exchange, assets, derivatives, swap ratios, or structured bank data. Any operation that requires a record of a transaction is part of the enterprise's value chain for its analysis, operational decisions, trading strategy and market making strategies, and subsequent transaction reports.

This data must remain precise, reliable, and easy to access, such as when an error occurs, and it must be able to scale with the volume of data. In addition, the data must be available for analysis in real time, the current transaction record, and a prerequisite for the previous transaction. In addition, the data must be available in a secure and reliable manner. Consequently, a secure data store is a critical element of the enterprise's value chain. It is important that the data may be used with a variety of analytical applications to improve profitability, including:

- Low-frequency (batch) processing.
- High-frequency (real-time) processing.
- Real-time market, derivatives, and other data simulations.
- Access and/or data trading, etc. all the data collected through a number of data sources collected in a secure and reliable manner.

The availability of data stores within an enterprise is a critical element of the enterprise's value chain. The availability of the data stores is a critical element of the enterprise's value chain. The higher the availability of the data stores, the higher the enterprise's value chain. The higher the availability of the data stores, the higher the enterprise's value chain. The higher the availability of the data stores, the higher the enterprise's value chain.

Storage capacity for big data could grow quickly from hundreds of gigabytes to terabytes or even petabytes. Efficient data storage is therefore a critical business challenge for most financial institutions.

Red Hat Storage
Penguin Computing
© 2015 Red Hat, Inc.

<http://red.ht/2k6uYcg>



PERFORMANCE AND SIZING GUIDE
Red Hat Cluster Storage on GCT servers

ABSTRACT
As a software-defined storage solution, Red Hat® Cluster Storage has emerged as a compelling platform for distributed file services in the enterprise. These capabilities can benefit from leading storage cluster configurations, optimized for different file use cases. For example, workloads based on small file can often benefit from different levels of parallelism. These workloads based on large files, in addition, often need high performance and scaling. Red Hat and GCT Cluster Storage have performed extensive testing to show various performance configurations for different Red Hat Cluster Storage on GCT servers.

TABLE OF CONTENTS

1 INTRODUCTION	3
2 WORKLOAD-OPTIMIZED DISTRIBUTED FILE SYSTEM CLUSTERS	4
3 REFERENCE ARCHITECTURE ELEMENTS	5
4 CLUSTER DISTRIBUTED FILE SYSTEM ARCHITECTURE	6
5 KEY KEY CLUSTER DESIGN PRINCIPLES	16
6 CONCLUSION	17

Red Hat
Penguin Computing
© 2015 Red Hat, Inc.



“Red Hat worked with us the entire way as we designed and built our architectures, helping with best practices, design considerations and layout, performance testing, and migration.”

Mohit Anchlia
Architect, Intuit TurboTax

MANAGING UNSTRUCTURED FINANCIAL DATA AT WEB SCALE

BUSINESS CHALLENGE

Needed a fast, reliable and cost-effective storage solution to meet growing SaaS line of business

Tax returns and other data were being stored as BLOBs in an expensive Oracle Database

Replication required database hacks, disaster recovery was challenging

SOLUTION

Red Hat Gluster Storage

HP ProLiant DL2000 Multi Node Server

BENEFITS

Provides scalable on-demand storage for unstructured data

Cost-effective solution that leverages commodity hardware

Helps meet growing capacity and peak performance needs

Lets you achieve multisite DR strategy



“By standardizing on Red Hat Storage Server on commodity hardware, we were able to quickly scale our infrastructure to manage massive amounts of data while significantly decreasing our costs.”

David Yaffe
Technical Analyst, SaskTel

GATHERING TELCO BUSINESS INSIGHTS FROM MACHINE DATA

BUSINESS CHALLENGE

Storage and analysis of massive amounts of server and device logging information

Data analysis involved many separate tools and steps

Logical and physical silos led to high incident response times

Proprietary storage too expensive

SOLUTION

Red Hat Gluster Storage

Splunk Enterprise, HP servers

BENEFITS



“Our costs, including various procurement costs and operating fees, fell to less than half of what we had been before implementing Red Hat Storage Server. The solution’s flexibility enabled us to build a storage environment using commodity servers and its ease of operational control was also a major advantage.”

Kazuyasu Yamazaki

SCALABLE, COST-EFFECTIVE STORAGE FOR RED HAT VIRTUALIZATION

BUSINESS CHALLENGE

Virtualized server infrastructure, but storage costs negated server virtualization cost benefits

Traditional and proprietary systems also limited flexibility which resulted in further cost escalation

Eliminate vendor lock in

SOLUTION

Red Hat Gluster Storage & Red Hat Enterprise Virtualization

IBM System x servers

BENEFITS

Reduced storage costs by 50%

Standardizing on RHEV and RHS provided flexibility

Able to use commodity servers and centrally manage server and storage infrastructure



THANK YOU



plus.google.com/+RedHat



facebook.com/redhatinc



linkedin.com/company/red-hat



twitter.com/RedHat



youtube.com/user/RedHatVideos